



Compresores de aire de tornillo rotativo Sierra exentos de aceite de 90-160 kW

Compresores de aire de tornillo rotativo Sierra exentos de aceite de 90-160 kW



Model Specifications

Modelo	Frecuencia (Hz)	Potencia Nominal kW (hp)	Capacidad m ³ /min (cfm)	Presión Nominal bar g (psig)	Largo X Ancho x Altura cm (in)	Peso kg (lb) Refrigerado por aire / Refrigerado por agua
SL90	50	90 (125)	16.1 (568)	7.0 (100)	269 (106) x 159 (63) x 237/184 (93/73)	3200 (7055) / 3300 (7275)
SL110	50	110 (150)	19.4 (685)	7.0 (100)	269 (106) x 159 (63) x 237/184 (93/73)	3280 (7231) / 3380 (7452)
SL132	50	132 (200)	22.8 (804)	7.0 (100)	269 (106) x 159 (63) x 237/184 (93/73)	3350 (7385) / 3450 (7606)
SL150	50	150 (250)	25.9 (915)	7.0 (100)	269 (106) x 159 (63) x 237/184 (93/73)	3400 (7496) / 3500 (7716)
SM90	50	90 (125)	13.6 (480)	8.5 (125)	269 (106) x 159 (63) x 237/184 (93/73)	3200 (7055) / 3300 (7275)
SM110	50	110 (150)	18.0 (635)	8.5 (125)	269 (106) x 159 (63) x 237/184 (93/73)	3280 (7231) / 3380 (7452)
SM132	50	132 (200)	21.4 (756)	8.5 (125)	269 (106) x 159 (63) x 237/184 (93/73)	3350 (7385) / 3450 (7606)
SM150	50	150 (250)	24.6 (869)	8.5 (125)	269 (106) x 159 (63) x 237/184 (93/73)	3400 (7496) / 3500 (7716)
SH90	50	90 (125)	13.0 (459)	10.0 (150)	269 (106) x 159 (63) x 237/184 (93/73)	3200 (7055) / 3300 (7275)
SH110	50	110 (150)	15.4 (544)	10.0 (150)	269 (106) x 159 (63) x 237/184 (93/73)	3280 (7231) / 3380 (7452)
SH132	50	132 (200)	18.8 (664)	10.0 (150)	269 (106) x 159 (63) x 237/184 (93/73)	3350 (7385) / 3450 (7606)
SH150	50	150 (250)	22.1 / 780	10.0 (150)	269 (106) x 159 (63) x 237/184 (93/73)	3400 (7496) / 3500 (7716)
L125	60	90 (125)	16.6 (586)	7.0 (100)	269 (106) x 159 (63) x 237/184 (93/73)	3200 (7055) / 3300 (7275)
L150	60	110 (150)	19.6 (691)	7.0 (100)	269 (106) x 159 (63) x 237/184 (93/73)	3280 (7231) / 3380 (7452)
L200	60	132 (200)	25.8 (912)	7.0 (100)	269 (106) x 159 (63) x 237/184 (93/73)	3400 (7496) / 3500 (7716)
H125	60	90 (125)	14.8 (524)	8.5 (125)	269 (106) x 159 (63) x 237/184 (93/73)	3200 (7055) / 3300 (7275)
H150	60	110 (150)	19.6 (691)	8.5 (125)	269 (106) x 159 (63) x 237/184 (93/73)	3280 (7231) / 3380 (7452)
H200	60	132 (200)	24.2 (855)	8.5 (125)	269 (106) x 159 (63) x 237/184 (93/73)	3400 (7496) / 3500 (7716)
H250	60	150 (250)	30.3 (1070)	8.5 (125)	305 (120)x193 (76)x 244/203 (96)	4000 / 8820

HH125	60	90 (125)	13.5 (477)	10.0 (150)	269 (106) x 159 (63) x 237/184 (93/73)	3200 (7055) / 3300 (7275)
HH150	60	110 (150)	16.0 (566)	10.0 (150)	269 (106) x 159 (63) x 237/184 (93/73)	3280 (7231) / 3380 (7452)
HH200	60	132 (200)	21.5 (760)	10.0 (150)	269 (106) x 159 (63) x 237/184 (93/73)	3400 (7496) / 3500 (7716)

Parts & Accessories



Air Compressor Tanks



**Tuberías de aire comprimido
SimplAir**



Ingersoll Rand (NYSE:IR) advances the quality of life by creating comfortable, sustainable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Thermo King® and Trane®—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; and increase industrial productivity and efficiency. We are a \$14 billion global business committed to a world of sustainable progress and enduring results. For more information, visit www.ingersollrand.com.